MOLECULAR PHYSICS, 1991, VOL. 73, NO. 6, 1419–1426

Index of Authors

with the titles of papers

ADAMS, D. J., Hard dumbell fluid g_1 and g_2 from Monte Carlo, 757
ADAMS, P., and HENDERSON, J. R.: Molecular dynamics simulations of wetting and drying in LJ models of solid-fluid interfaces in the presence of liquid-vapour coexistence, 1383
AGG, P. J., and CLARY, D. C., Rotationally inelastic rates and Raman Q-branch linewidths for $N_2 + N_2$, 317
AHLRICHS, R., *see* Hill, J.-R.
AL-DERZI, A. R., JOHNSTON, R. L., MURRELL, J. N., and RODRIGUEZ-RUIZ, J. A., Potential energy functions for atomic solids III. Fitting phonon frequencies and elastic constants of diamond structures, 265
ALIOTTA, F., *see* Majolino, D.
AMAT, G.: Linear relations between vibrational energy levels of CO_2 and fourth order spectroscopic constants, 685
AMIOT, C., *see* Bernard, A.
AMOUREUX, J. P., *see* Decressain, R.
ANDREANI, C., MAYERS, J., POSTORINO, P., and RICCI, M. A., Stretching density of states of the deuterium sites in polycrystalline D_2O, 737
ANDREANI, C., MERLO, V., RICCI, M. A., and SOPER, A. K., Neutron diffraction study of the partial pair correlation functions of liquid hydrogen sulphide, 407
ANTZUTKIN, O. N., *see* Morozov, V. A.
ARCHER, A. L., and JACKSON, G., Theory and computer simulations of heteronuclear diatomic hard-sphere molecules (hard dumbbells), 881
ASHFOLD, M. N. R., and PRINCE, J. D., Third harmonic generation in molecular gases, 297
ATTAL-TRÉTOUT, B., MONOT, P., and MULLER-DETHLEFS, K.: Theory of rotational line strengths in coherent anti-Stokes Raman spectroscopy, 1257

BACHEM, E., *see* Lipus, K.
BACHEM, E., URBAN, W., and NELIS, T.: Direct observation of the transitions $^2\Delta_{5/2}$, $v = 0 \rightarrow {}^2\Pi_{3/2}$, $v = 0$ and $^2\Delta_{5/2}$, $v = 0 \rightarrow {}^2\Delta_{3/2}$ $v = 1$ of the NiH radical by Faraday LMR, employing a CO overtone laser, 1031
BAER, S., *see* Gutman, L.
BAKÓ, I., *see* Pálinkás, G.
BARANYAI, A., and WELBERRY, T. R.: Molecular dynamics simulation of solid biphenyl, 1317
BELLISSENT-FUNEL, M.-C., *see* Farman, H.
BENGTSSON, L. A., STEGEMANN, H., HOLMBERG, B., and FULLBIER, H., The structure of room temperature molten polyiodides, 283
BERNARD, A., EFFANTIN, C., D'INCAN, J., AMIOT, C., and VERGES, J.: On the 3d Rydberg states of the NO molecule, 221
BERRONDO, M., *see* Récamier, J.
BERTAGNOLLI, H., *see* Mager, T.
BERTOLINI, D., TANI, A., and VALLAURI, R.: Collective motion and interparticle correlations in liquid water. A molecular dynamics simulation, 69
BESNARD, M., FOUASSIER, M., LASSEGUES, J. C., DIANOUX, A. J., and PETRY, W.: Incoherent neutron scattering study of the pseudorotational and diffusive motions of cyclopentane in condensed state, 1059
BIRNBAUM, G., and BORYSOW, A.: On the problem of detailed balance and model lineshapes in collision-induced rotovibrational bands: H_2–H_2 and H_2–He, 57
BISCARINI, F., ZANNONI, C., CHICCOLI, C., and PASINI, P., Head-tail asymmetry and ferroelectricity in uniaxial liquid crystals. Model calculations, 439
BOPP, P., *see* Pálinkás, G.
BORYSOW, A., *see* Birnbaum, G.

BOUBLÍK, T., Equilibrium behaviour of quadrupolar Kihara molecule fluids, 417
BOVENSMANN, H., KNÖCKEL, H., and TIEMANN, E., Hyperfine structure investigations of the excited AO^+ state of TlI, 813
BRAMLEY, M. J., GREEN, W. H. JR., and HANDY, N. C.: Vibration-rotation coordinates and kinetics energy operators for polyatomic molecules, 1183
BRAMLEY, M. J., *see* Su, M-D.
BRENAN, G. P., and EVANS, R., Free energy functionals and the uniform hard-sphere fluid, 789
BRÓDKA, A., and WRZALIK, R.: Fermi resonance in liquid methyl bromide, 1101
BRUSTOLON, M. *see* Maniero, A. L.
BUCHNER, M., and LADANYI, B. M.: Molecular dynamics algorithm for flexible molecules using normal coordinates, 1127
BUENKER, R. J.: *see* Hirsch, G.

CALLEJA, M., NORTH, A. N., POWLES, J. G., and RICKAYZEN, G.: The structure of fluids confined to spherical pores: theory and simulation, 973
CANESSA, E., D'AGUANNO, B., WEYERICH, B., and KLEIN, R.: Towards an understanding of the static structure of suspensions of ionic rod-like macromolecules, 175
CARLONI, P., *see* Maniero, A. L.
CARPENTIER, L., *see* Decressain, R.
CHIALVO, A. A.: Excess properties of liquid mixtures from computer simulation: a coupling parameter approach to the determination of their dependence on molecular asymmetry, 127
CHICCOLI, C., *see* Biscarini, F.
CHIEW, Y. C., Percus-Yevick integral equation theory for athermal hard-sphere chains. II. Average intermolecular correlation functions, 359
CHMELKA, B. F., *see* McCormick, A. V.
CLAIRET, F., *see* Goulay, A. M.
CLARY, D. C., *see* Agg, P. J.
COHEN DE LARA, E., *see* Goulay, A. M.
COLPA, J. P. *see* Temme, F. P.
COPLAN, M. A., *see* McMillan, K.

D'AGUANNO, B., *see* Canessa, E.
D'APRANO, A., *see* Majolino, D.
DAVIS, H. T., *see* Van Tassel, P. R.
DE BOER, E., *see* Gribnau, M. C. M.
DECRESSAIN, R., AMOUREUX, J. P., CARPENTIER, L., and NAGY, J. B.: NMR in molecular crystals. An example: fluoroadamantane $C_{10}H_{15}F$., 553
DEGENHARDT, D., *see* Mager, T.
DE KANTER, F. J. J., *see* Huis, L.
DE LONNGI, D. A., and LONNGI VILLANUEVA, P. A., Irreducible rational approximants for the hard-sphere fluid, 763
DEY, T. K., and SINHA, S. K., Quantum corrections to equilibrium properties of molecular fluids, 427
DIANOUX, A. J., *see* Besnard, M.
D'INCAN, J., *see* Bernard, A.
DOKTOROV, A. B., *see* Morozov, V. A.
DONATO, D. I., *see* Majolino, D.
DORE, J. C. *see* Farman, H.
DYKE, J. M., *see* Lee, E. P. F.
DYKE, J. M., *see* Wright, T. G.

EFFANTIN, C., *see* Bernard, A.
EVANS, R., *see* Brenan, G. P.

FARMAN, H., O'MARD, L., DORE, J. C., and BELLISSENT-FUNEL, M.-C., Structural studies of cyclohexane, C_6D_{12} by neutron diffraction. II. The plastic crystal phase, 855
FORESTER, T. R.: A molecular dynamics study of electric field gradients in condensed B-DNA systems, 1335

FOUASSIER, M., *see* Besnard, M.
FOWLER, P. W., and SADLEJ, A. J.: Correlated studies of electric properties of ionic molecules: alkali and alkaline-earth hydrides, halides and chalcogenides, 43
FRAHM, R., *see* Mager, T.
FRANCISCO, J. S.: Secondary dissociation pathways of ethylsilylene radical on ground and excited state potential energy surfaces, 235
FREIRE, J. J., *see* López Rodríguez, A.
FULLBIER, H., *see* Bengtsson, L. A.

GARDNER, P. J., HEYES, D. M., and PRESTON, S. R.: Molecular dyanmics computer simulations of bindary Lennard-Jones fluid mixtures: Thermodynamics of mixing and transport coefficients, 141
GOULAY, A. M., CLAIRET, F., and COHEN DE LARA, E., Effect of electric field on internal vibration frequencies. Infrared analysis of CO_2 adsorbed in A zeolites, 845
GRECI, L., *see* Maniero, A. L.
GREEN, W. H. JR., *see* Bramley, M. J.
GRIBNAU, M. C. M., and DE BOER, E., The magnetic structure of sodium biphenyl bistriglyme, 819
GRICE, R., *see* Smith, D. J.
GUTMAN, L., and BAER, S., Atomic pair correlation in Lennard-Jones fluids: Analysis in terms of structural diffusion models, 715

HAEBERLEN, U., *see* Idziak, S.
HALL, C. K., *see* Yethiraj, A.
HANDY, N. C., *see* Bramley, M. J.
HANDY, N. C., *see* Su, M-D.
HÄRTL, W., SEGSCHNEIDER, C., VERSMOLD, H., and LINSE, P.: On the structure factor of liquid-like ordered binary mixtures of colloidal suspensions, 541
HEINZINGER, K., *see* Pálinkás, G.
HENDERSON, J. R., *see* Adams, P.
HERTZNER, A. W., SCHOEN, M., and MORGNER, H.: The influence of long range electrostatic forces on static properties of a quasi-Stockmayer fluid, 1011
HEYES, D. M., *see* Gardner, P. J.
HILL, J.-R., SAUER, J., and AHLRICHS, R., *Ab initio* calculation of nuclear motion corrections to the geometries of water, methanol and silanol, 335
HIRSCH, G., BUENKER, R. J., and PETRONGOLO, C.: *Ab initio* study of NO_2. Part III. Potential energy functions for the two lowest $^2A'$ states in both the diabatic and adiabatic representations, 1085
HOLMBERG, B., *see* Bengtsson, L. A.
HOLOVKO, M. F., and KALYUZHNYI, Y. V.: On the effects of association in the statistical theory of ionic systems. Analytic solution of the PY-MSA version of the Wertheim theory, 1145
HUANG, Y., *see* Mason, E. A.
HUHN, G., *see* Simon, U.
HUIS, L., DE KANTER, F. J. J., and MACLEAN, C.: Chemical shielding anisotropy of ^{13}C in $CH_3{}^*CN$ determined by NMR spectroscopy of the dielectrically oriented molecule, 1077

ICHIKAWA, K., KAMEDA, Y., YAMAGUCHI, T., WAKITA, H., and MISAWA, M.: Neutron-diffraction investigation of the intramolecular structure of a water molecule in the liquid phase at high temperatures, 79
IDZIAK, S., HAEBERLEN, U., and ZIMMERMANN, H.: The configuration and the dynamics of the $-CD_3$ groups in methyl deuterated dimethylmalonic acid. A single crystal deuteron NMR study, 571
IKAWA, S., *see* Ohba, T.

JACKSON, G., *see* Archer, A. L.
JOHNSTON, R. L., *see* Al-Derzi, A. R.
JONES, M. T., *see* Maruo, T.

KALYUZHNYI, Y. V., NEZBEDA, I.: Analytical solution of Wertheim's OZ equation for the Smith-Nezbeda model of associated liquids, 703
KALYUZHNYI, Y. V., *see* Holovko, M. F.
KAMEDA, Y., *see* Ichikawa, K.
KIM, S.-C.: Density functional theories for classical homogeneous systems, 1179
KLEIN, R., *see* Canessa, E.
KNÖCKEL, H., *see* Bovensmann, H.
KOMKO, V. M., *see* Kuvshinskij, N. G.
KOPTYUG, A. V., *see* Morozov, V. A.
KOSTJUK, S. E., *see* Kuvshinskij, N. G.
KUSALIK, P. G.: On the computer simulation of highly polar fluids using large systems, 1349
KUVSHINSKIJ, N. G., KOMKO, V. M. and KOSTJUK, S. E., Two mechanisms of sensitization of photoconductivity in carbazole-containing polymeric semiconductors by Rhodamine 6G, 805

LAAKSONEN, A., WESTLUND, P.-O.: A molecular dynamics simulation of HCl. A study of the vibrational dephasing mechanism, 663
LABÍK, S., MALIJEVSKÝ, A., and SMITH, W. R.: An accutate integral equation for molecular fluids. I. Hard homonuclear diatomics, 87
LABÍK, S., MALIJEVSKÝ, A., and SMITH, W. R.: An accurate integral equation for molecular fluids. Part II. Hard heteronuclear diatomics, 495
LADANYI, B. M., *see* Buchner, M.
LAGO, S., *see* López Rodríguez, A.
LASSEGUES, J. C., *see* Besnard, M.
LEE, E. P. F., and DYKE, J. M., An *ab initio* molecular orbital study of protonated water clusters, $H(H_2O)_n^+$ $n = 1$ to 5, at the SCF and MP2 levels, 375
LEE, E. P. F., *see* Wright, T. G.
LINSE, P., *see* Härtl, W.
LIPUS, K., BACHEM, E., and URBAN, W.: Vibration–rotation spectroscopy of the CrH radical in its $X^6\Sigma^+$ ground state by CO-Faraday laser magnetic resonance, 1041
LIVERI, V. T., *see* Majolino, D.
LONNGI VILLANUEVA, P. A., *see* De Lonngi, D. A.
LÓPEZ RODRÍGUEZ, A., VEGA, C., FREIRE, J. J., and LAGO, S.: Potential parameters of methyl and methylene obtained from second virial coefficients of n-alkanes, 691
LYNDEN-BELL, R. M., *see* Xu, H.

MACLEAN, C., *see* Huis, L.
MADER, H., *see* Nicolaisen, H.-W.
MAGER, T., BERTAGNOLLI, H., DEGENHARDT, D., and FRAHM, R.: The liquid-phase structure of the tetrabromomethane-toluene complex. A differential anomalous X-ray scattering study, 587
MAGAZU, S., *see* Majolino, D.
MAÏNOS, C.: Molecular axis orientation and transitional path effects in the rotational structure of multiphoton transitions, 1241
MAJOLINO, D., MIGLIARDO, P., ALIOTTA, F., MAGAZU, S., VASI, C., D'APRANO, A., DONATO, D. I., and LIVERI, V. T.: Relaxation phenomena in mixed isomeric alcohols by Mandelstam-Brillouin scattering, 27
MALIJEVSKÝ, A., *see* Labik, S.,
MANIERO, A. L., BRUSTOLON, M., OTTAVIANO, M. F., RIZZOLI, C., SCARABOTTO, P., UGOZZOLI, F., CARLONI, P., and GRECI, L.: EPR and ENDOR study on mixed crystals of an indolinone nitroxide radical and the isoelectronic ketone. I. X-ray structure of pure components and ENDOR of isolated radicals in mixed crystals, 1
MANIERO, A. L., BRUSTOLON, M., OTTAVIANO, M. F., RIZZOLI, C., SCARABOTTO, P., UGOZZOLI, F., CARLONI, P., and GRECI, L.: EPR and ENDOR study on mixed crystals of an indolinone nitroxide radical and the isoelectronic ketone. II. EPR and ENDOR investigation on radical pairs in mixed crystals, 15
MAROULIS, G., and THAKKAR, A. J.: *Ab initio* static polarizabilities and multipole moments of I_2, 1235

MARUO, T., RATAICZAK, R. D., and JONES, M. T.: An ESR study of ion pairing in solutions of the alkali metal salts of tetracyanoquinodimethan (TCNQ) and tetrafluorotetracyanoquinodimethan (TCNQF), 1365
MASON, E. A., SIREGAR, J. J., and HUANG, Y.: Simplified calculation of quantum corrections to the virial coefficients of hard convex bodies, 1171
MAYERS, J., *see* Andreani, C.
MAZZACURATI, V., and RUOCCO, G., On the self-consistent equation for the microscopic local electric field in dielectric systems, 745
MCCORMICK, A. V., and CHMELKA, B. F.: Xenon adsorption in NaA zeolite cavities, 603
MCCORMICK, A. V., *see* Van Tassel, P. R.
MCLAUCHLAN, K. A., and STEINER, U. E., The spin-correlated radical pair as a reaction intermediate, 241
MCMILLAN, K., COPLAN, M. A., TOSSELL, J. A., and MOORE, J. H.: Experimental orbital momentum distribution and bonding interactions. Part II. The organometallic complex (η^4-1, 3, $-C_4H_6$)-Fe$(CO)_3$, 619
MEDVEDEV, N. N. *see* Naberukhin, Y. I.
MERLO, V., *see* Andreani, C.
MIGLIARDO, P., *see* Majolino, D.
MISAWA, M., *see* Ichikawa, K.
MONOT, P., *see* Attal-Trétout, B.
MOORE, J. H., *see* McMillan, K.
MORALES, J. J. and SINGER, K., Path integral simulation of the free energy of (Lennard-Jones) neon, 873
MORGNER, H., OBERBRODHAGE, J., RICHTER, K., and ROTH, K.: Surface segregation of a binary liquid mixture as studied by metastable impact electron spectroscopy, 1295
MORGNER, H., *see* Hertzner, A. W.
MOROZOV, V. A., ANTZUTKIN, O. N., KOPTYUG, A. V., and DOKTOROV, A. B.: Multiquantum resonances in low-field optically detected ESR of radical-ion pairs, 517
MULLER-DETHLEFS, K., *see* Attal-Trétout, B.
MURAD, S., *see* Powles, J. G.
MURRELL, J. N., *see* Al-Derzi, A. R.

NABERUKHIN, Y. I., VOLOSHIN, V. P., and MEDVEDEV, N. N., Geometrical analysis of the structure of simple liquids: percolation approach, 917
NAGY, J. B., *see* Decressain, R.
NARASIMHAN, P. T., *see* Ramamoorthy, A.
NELIS, T., *see* Bachem, E.
NEZBEDA, I., *see* Kalyuzhny, Y. V.
NICOLAISEN, H.-W., and MADER, H., Rotational relaxation rates for the $J = 0$–1 transition of N_2O by self-collisions and foreign gas collisions, 349
NORTH, A. N., *see* Calleja, M.

OBERBRODHAGE, J., *see* Morgner, H.
OGINO, Y., *see* Yamizaki, T.
OHBA, T., and IKAWA, S.: Far-infrared optical constants of liquid acetonitrile at 238 to 343 K as measured with a synchrotron radiation source, 985
OHBA, T., and IKAWA, S.: Molecular dynamics study of local structure and reorientational dynamics in liquid acetonitrile, 999
O'MARD, L., *see* Farman, H.
ORTEGA, J., *see* Récamier, J.
OTTAVIANI, M. F., *see* Maniero, A. L.
OZAWA, S., *see* Yamizaki, T.

PÁLINKÁS, G., BAKÓ, I., HEINZINGER, K., and BOPP, P., Molecular dynamics investigation of the inter- and intramolecular motions in liquid methanol and methanol-water mixtures, 897
PAS, M. F., and ZWOLINSKI, B. J.: Computation of the transport coefficients of dense fluid neon, argon, krypton and xenon by molecular dynamics, 471

PAS, M. F., and ZWOLINSKI, B. J.: Computation of the transport coefficients of binary mixtures of argon-krypton, krypton-xenon, and argon-xenon by molecular dynamics, 483
PASINI, P., *see* Biscarini, F.
PETRI, M., *see* Simon, U.
PETRONGOLO, C., *see* Hirsch, G.
PETRY, W., *see* Besnard, M.
PONIEWIERSKI, A., and SLUCKIN, T. J.: Nematic, Smectic-A, and Smectic-C ordering in a system of parallel cylinders with quadrupolar interaction, 199
POSTORINO, P., *see* Andreani, C.
POWLES, J. G., MURAD, S., SETHI, D. P., and RAVI, P. V.: On the solvent frequency shift, 1307
POWLES, J. G., *see* Calleja, M.
PRESTON, S. R., *see* Gardner, P. J.
PRINCE, J. D., *see* Ashfold, M. N. R.
PULAY, P., *see* Van Lenthe, J. H.

RAMAMOORTHY, A., and NARASIMHAN, P. T.: Broadband excitation sequences for NQR spectroscopy, 207
RATAICZAK, R. D., *see* Maruo, T.
RAVI, P. V., *see* Powles, J. G.
RECAMIER, J. and BERRONDO, M., Vibration-translation energy transfer in a collision between an atom and a Morse oscillator, 831
RÉCAMIER, J., and ORTEGA, J.: Transition probabilities in collisions between an atom and an anharmonic oscillator, 635
RICCI, M. A., *see* Andreani, C.
RICCI, S. M., *see* Tarjus, G.
RICHTER, K., *see* Morgner, H.
RICKAYZEN, G., *see* Calleja, M.
RIZZOLI, C., *see* Maniero, A. L.
RODRIGUEZ-RUIZ, J. A., *see* Al-Derzi, A. R.
ROTH, K., *see* Morgner, H.
ROWLINSON, J. S., *see* Xiao, C.
RUOCCO, G., *see* Mazzacurati, V.

SADLEJ, A. J., *see* Fowler, P. W.
SAUER, J., *see* Hill, J.-R.
SCARABOTTO, P., *see* Maniero, A. L.
SCHOEN, M., *see* Hertzner, A. W.
SEGSCHNEIDER, C., *see* Härtl, W.
SETHI, D. P., *see* Powles, J. G.
SIMON, U., PETRI, M., ZIMMERMANN, W., HUHN, G., and URBAN, W.: Infrared diode laser spectroscopy of the electronic ground state of SnD, 1051
SINGER, K., *see* Morales, J. J.
SINHA, S. K., *see* Dey, T. K.
SIREGAR, J. J., *see* Mason, E. A.
SLUCKIN, T. J., *see* Poniewierski, A.
SMITH, D. J., and GRICE, R.: Angular distributions of reactive scattering arising from persistent complexes with asymmetric top transition states, 1371
SMITH, W. R., *see* Labík, S.
SOPER, A. K., *see* Andreani, C.
STEGEMANN, H., *see* Bengtsson, L. A.
STEINER, U. E., *see* McLauchlan, K. A.
SU, M-D., WILLETTS, A., BRAMLEY, M. J., and HANDY, N. C.: A study of the ground electronic state of disulphane, 1209
SUHM, M. A., and WATTS, R. O., Parameterized dipole moment function for the water molecule, 463

TALBOT, J., *see* Tarjus, G.
TANI, A., *see* Bertolini, D.
TARJUS, G., VIOT, P., RICCI, S. M., and TALBOT, J., New analytical and numerical results on virial coefficients for 2-D hard convex bodies, 773
TEMME, F. P., and COPLA, J. P., Aspects of J pathways in $[A]_n(\mathscr{S}_n)/[AX]$ spin systems over partitional, or coherent superpositional, Liouville space bases involving intracluster coupling, or associated with coherence transfer in [A . . . X] ($I_i = \frac{1}{2}$) systems: further group theoretical considerations, 953
THAKKAR, A. J., *see* Maroulis, G.
TIEMANN, E., *see* Bovensmann, H.
TOSSELL, J. A., *see* McMillan, K.

UGOZZOLI, F., *see* Maniero, A. L.
URBAN, W., *see* Bachem, E.
URBAN, W., *see* Lipus, K.
URBAN, W., *see* Simon, U.

VALLAURI, R., *see* Bertolini, D.
VAN LENTHE, J. H., VERBEEK, J., and PULAY, P.: Convergence and efficiency of the valence bond self-consistent field method, 1159
VAN TASSEL, P. R., DAVIS, H. T., and MCCORMICK, A. V.: Monte Carlo calculations of adsorbate placement and thermodynamics in a micropore: Xe in NaA, 1107
VASI, C., *see* Majolino, D.
VEGA, C., *see* López Rodríguez, A.
VERBEEK, J., *see* Van Lenthe, J. H.
VERGES, J., *see* Bernard, A.
VERSMOLD, H., *see* Härtl, W.
VIOT, P., *see* Tarjus, G.
VOLOSHIN, V. P. *see* Naberukhin, Y. I.

WAKITA, H., *see* Ichikawa, K.
WATANUKI, I., *see* Yamazaki, T.
WATTS, R. O., *see* Suhm, M. A.
WELBERRY, T. R., *see* Baranyai, A.
WESTLUND, P.-O., *see* Laaksonen, A.
WEYERICH, B., *see* Canessa, E.
WILLETTS, A., *see* Su, M-D.
WILLIAMS, J. H.: An inelastic neutron scattering study of the dynamics of the van der Waals complex C_6H_6: C_6F_6, 99
WILLIAMS, J. H.: A quasielastic neutron scattering investigation of the van der Waals complex of benzene and hexafluorobenzene, 113
WOKAUN, A., *see* Zimmermann, F.
WRIGHT, T. G., LEE, E. P. F., and DYKE, J. M., Effects of BSSE and d-orbital space in the calculation of the equilibrium geometry of CaF_2, 941
WRZALIK, R., *see* Bródka, A.

XIAO, C., and ROWLINSON, J. S., The solvation pressure in a system of fixed density, 937
XU, H., and LYNDEN-BELL, R. M.: The onset of disorder on a surface with a step, 1401

YAMAGUCHI, T., *see* Ichikawa, K.
YAMAZAKI, T., WATANUKI, I., OZAWA, S., and OGINO, Y.: Potential energies and IR spectra for homopolar diatomic adsorbates over ion-exchanged ZSM-5 zeolites, 649
YETHIRAJ, A., and HALL, C. K.: Monte Carlo simulation of the equilibrium partitioning of chain fluids between a bulk and a pore, 503

ZANNONI, C., *see* Biscarini, F.
ZIMMERMANN, F., and WOKAUN, A.: Giant gold clusters stabilized by triphenylphosphine ligands. Characterization by surface enhanced Raman and reflectance spectroscopy, 959
ZIMMERMANN, H., *see* Idziak, S.
ZIMMERMANN, W., *see* Simon, U.
ZWOLINSKI, B. J., *see* Pas, M. F.